Sian in

Google scholar transforming source schema to target schema

Search

Advanced Scholar Search

Scholar Preferences

Scholar Articles and patents

anytime include citations Results 1 - 10 of about 18. (0.16 sec)

XML representation of hierarchical classification systems; from conceptual models to real applications.

níh.aov (PDF)

S Hoelzer, RK Schweiger, R Liu, D Rudolf, ... - Proceedings of the ..., 2002 - ncbi.nlm.nlh.gov

... As a consequence, we can use existing XML tools such as parsers and transformation engines

to ... A relational database is often used as a **source** to generate above mentioned electronic formats. ...

With our "XML Schema browser" the user is able to take any XML schema or DTD ...

Cited by 1 - Related articles - All 5 versions

Standardized Semantic Markup for Reference Terminologies, Thesauri and Coding Systems: Benefits for distributed E-

Health Applications

MD Simon Hoelzer, RKS PhD, R Liu, D Rudolf, J ... - 2005 - IOS Press

... transformation engines to process an XML schema. ... A relational database is often used as a source

to generate above mentioned electronic formats. ... Browsing the XML Schema With our "XML Schema browser" the user is able to take any XML schema or DTD and to view and ...

Related articles

[PDF] Recommendations

dimdi.de (PDF)

MD Simon Hoelzer, RKS PhD, R Llu, D Rudolf, J ... - dimdi.de

... parsers and transformation engines to process an XML schema. ... into a parent. A relational database is often used as a source to generate above mentioned electronic formats. ... With our "XML Schema browser" the user is able to take any XML schema or DTD and to view and ...

Related articles - View as HTML - All 2 versions

[CITATION] Recommendations

S Hoelzer, RKS PhD, R Liu, D Rudolf, J Rieger, J ...

Related articles - All 2 versions

Standardized Semantic Markup for Reference Terminologies, Thesauri and Coding Systems; Benefits for distributed E-

Health Applications

D Rudolf, JRJ Dudeck - Medical and care compunetics 2, 2005 - books.google.com

... A relational database is often used as a **source** to generate above mentioned electronic formats. ...

Our XML schema of the ICD-10 differs from the CEN ClaML standard in that way ... Nevertheless.

despite this additional granularity it is possible to transform our XML model into the ...

Related articles

[PDF] XML Representation of Hierarchical Classification Systems: From Conceptual Models to Real Applications

<u>hplus.ch</u> [PDF]

MD Simon Hoelzer, RKS PhD, R Liu, D Rudolf, J ... - files.hplus.ch

... As a consequence, we can use existing XML tools such as parsers and transformation engines

to ... A relational database is often used as a source to generate above mentioned electronic formats. ...

With our "XML Schema browser" the user is able to take any XML schema or DTD ...

Related articles - All 2 versions

Transparent ICD and DRG coding using information technology: Linking and associating information sources with the extensible markup language

nih.gov [HTML]

S Hoelzer, RK Schweiger, J ... - Journal of the American ..., 2003 - jamia.bmjjournals.com

... Depending on the specific requirements of an application, style sheets can **transform** and render

XML sources ... more closely the association is related to the **source**, the more relevant that **source** is ... The XML **schema** provides data types that can be used to restrict and validate the ...

Cited by 2 - Related articles - All 15 versions

[PDF] AND THE EXCHANGE OF HUMANLY USABLE DIGITAL CONTENT

vcoss.org.au (PDF)

RA Vines, JM Firestone - vcoss.org.au

... process, content is mapped between the **source** and destination **schemas**. ... In particular, the CGML application provides a **transformation** system through which the digital elements expressed ... reproduces the definitions and examples as given by each tagging **schema**. ...

Related articles - View as HTML - All 4 versions

[PDF] AND THE EXCHANGE OF HUMANLY USABLE DIGITAL CONTENT ACROSS A GLOBAL ECONOMY

kmcl.org [PDF]

RA Vines, JM Firestone - kmci.org

... process, content is mapped between the **source** and destination **schemas**. ... In particular, the CGML application provides a **transformation** system through which the digital elements expressed ... reproduces the definitions and examples as given by each tagging **schema**. ...

Related articles - View as HTML - All 3 versions

Mark-up driven strategies for text-to-hypertext conversion

psu.edu (PDF)

A Storrer - Linguistic Modeling of Information and Markup ..., 2010 - Springer

 \dots and can be validated against its corresponding document grammar (DTD or schema file \dots On this basis we implemented four basic operations that transform the paragraphs of sequential \dots a link,

he further differen- tiates between one-to-one-links, which connect a source anchor to \dots

Cited by 3 - Related articles - All 7 versions





transforming source schema to targe Search

Go to Google Home - About Google - About Google Scholar

©2010 Google